

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"20040261064"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 09:35
S2	4	waypoint and IDE and "717".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/14 13:35
S3	1	waypoint and IDE and "714".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/14 13:36
S6	177	(compil\$3 with (mark\$2 flag part portion)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/14 14:08
S7	147	(compil\$3 with (part portion)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/08 13:26
S11	53	(compil\$3 with point) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/25 14:32
S12	44	compil\$3 and ("lower bound" or "upper bound") and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/05/14 15:22

## EAST Search History

S14	30	(compil\$3 with (part portion) with source) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/08 14:30
S17	17	(compil\$3 with (marker waypoint point) with code) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/08 15:49
S18	13	(compil\$3 with (marker waypoint point) with code with edit\$3) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/25 15:28
S19	43	compil\$3 and ("code editor") and (waypoint "stop point" break terminor "break point") and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/25 14:47
S23	74	(compil\$3 with ("check point" checkpoint\$3 "watch point" watchpoint\$3 waypoint )) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/25 16:29
S24	5	(compil\$3 with (selective partial)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 10:23
S25	4	(compil\$3 same ("check point" checkpoint\$3 "watch point" watchpoint)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 09:43

## EAST Search History

S26	3	(editor with ("check point" checkpoint\$3 "watch point" watchpoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 09:50
S27	3	(editor with ("check point" checkpoint\$3 "watch point" watchpoint waypoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 09:51
S28	30	(editor with ("check point" checkpoint\$3 "watch point" watchpoint waypoint "break point")) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 11:43
S29	23	((IDE edit\$3) with ("check point" checkpoint\$3 "watch point" watchpoint waypoint )) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 10:22
S30	612	(compil\$3 with (selective partial)) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 10:24
S31	51	(compil\$3 with (selective partial)) and editor and point and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 10:24
S32	61	(editor with ("check point" checkpoint\$3 "break point" breakpoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 12:10

## EAST Search History

S33	628	editor and ("check point" checkpoint\$3 "break point" breakpoint) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:41
S34	148	"visual basic" and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 12:53
S37	16	(compiling with resume) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/26 15:27
S40	33	file with reader and compil\$5 and breakpoint and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 14:56
S42	150	(open near3 system near3 call) and compil\$5 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:00
S43	123	(open near3 system near3 call) and compil\$5 and unix and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:21
S44	5	(open near3 system near3 call) and compil\$5 and unix and gcc and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:01

## EAST Search History

S45	27	("open system call") and compil\$5 and unix and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 16:20
S48	7	unix adj command and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:28
S49	628	editor and ("check point" checkpoint\$3 "break point" breakpoint) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:42
S50	25	(upper and lower) with bound and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/02 15:42
S52	1	("open system call") and gcc and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 08:06
S54	71	(read with source with code with input) and compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:44
S55	224	(file near3 read\$2) with compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:45

## EAST Search History

S56	127	(file near3 read\$2) near3 compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:51
S57	109	("open system call") and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:52
S58	86	("open system call") and UNIX and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:57
S59	1	("open system call") and UNIX and gcc and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 15:58
S61	21	(gcc near3 command) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 16:18
S62	1	(UNIX near3 gcc) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 16:18
S63	7	gcc near5 read and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 16:39

## EAST Search History

S64	16	gcc near command and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/03 16:39
-----	----	-------------------------------------	---	----	----	------------------